

Acrylic Matt Colors Page 1 of 11

1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING#

1.1 Identification of the substance/preparation

Trade name Acrylic Matt Colors

Article No. 75201 – 75215, 75217 – 75218, 75220 – 75228, 75230 – 75231, 75233 –

75250, 75252 - 75276, 75501 - 75515, 75517 - 75518, 75520 - 75528, 75530 - 75531, 75533 - 75550, 75552 - 75576, 75001, 75003, 75005, 75009, 75010, 75012, 75015, 75020 - 75022, 75030, 75036, 75039, 75052, 75057, 75061, 75901, 75903 - 75905, 75909 - 75910, 75912,

75915, 75920 – 75922, 75924, 75930, 75953, 75955, 75957 /

75600 / 75650 / 75615 / 75655 / 75656 / 752144 / 755144 / 752192 /

75590 / 75290 / 761072 / 75300, 75301 / 75900 / 77300

Package size 20 ml, 50 ml, 275 ml, 500 ml / 6 x 20 ml / 6 x 20 ml / 6 x 20 ml / 6 x 50 ml /

6 x 50 ml / 192 x 20 ml / 144 x 50 ml / 96 x 20 ml / 414 x 20 ml /

432 x 20 ml / 18 x 50 ml / 5 x 60 ml / 5 x 50 ml / 5 x 60 ml

Substance name INDEX No. EG No. CAS No. REACH Registration No.-

1.2 Use of the substance/preparation

Acrylic matt colors. For artists and hobby user.

1.3 Manufacturer/Supplier

C. KREUL GmbH & Co. KG

Carl-Kreul-Strasse 2 D-91352 Hallerndorf

Phone no. +49 (0) 9545 925-0 Fax no. +49 (0) 9545 925-511 Mail info@c-kreul.de

Information provided by

Mrs. Treiber, b.treiber@c-kreul.de

1.4 Emergency information

Phone no. +49 (0) 9545 925-0 Fax no. +49 (0) 9545 925-511

(Monday - Thursday 8.00 - 17.00; Friday 8.00 - 15.00)

2. HAZARD IDENTIFICATION

2.1 Classification of the substance/preparation

Classification according to Regulation (EC) 1272/2008

The product is not classified as hazardous according to Regulation (EC) 1272/2008.



Acrylic Matt Colors Page 2 of 11

2.2 Labelling according to Regulation (EC) 1272/2008 Hazard pictogram and signal word of the product

-

Hazard-determining components of labelling

-

Hazard statements

-

European hazard statements

EUH208 Contains 2-octyl-2H-isothiazol-3-one, 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Precautionary statements

_

2.3 Other Hazards

None.

Results of PBT and vPvB assessment: Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization

Aqueous preparation of an acrylic polymer dispersion with pigments.

3.1 Substance related information

Main component The product is a preparation.

-

INDEX No. -EG No. -CAS No. -

REACH Registration No.: -

Classification according to Regulation (EC) 1272/2008: -

Hazard impurities

_

INDEX No. -EG No. -CAS No. -

REACH Registration No.: -

Classification according to Regulation (EC) 1272/2008: -



Acrylic Matt Colors Page 3 of 11

3.2 Preparation/mixture related information

< 0,25 % Ammonia¹

INDEX No. 007-001-01-2 EG No. 215-647-6 CAS No. 1336-21-6 REACH Registration No.: -

Classification according to Regulation (EC) 1272/2008: Skin Corr. 1B H314; Aquatic Acute 1 H400

¹Only in Blue.

Full text of H- and EUH-phrases: see section 16.

4. FIRST AID MEASURES

4.1 General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

After inhalation

Remove to fresh air, keep patient warm and at rest. In case of unwellness, seek medical advice (show directions for use or safety data sheet if possible).

After skin contact

In case of skin reactions, consult a physician. After contact with skin, wash with plenty of water and soap. Do NOT use solvents or thinners.

After eye contact

Remove contact lens. Irrigate copiously with clean, fresh water for at least 10 - 15 minutes, holding the eyelids apart and seek medical advice.

After ingestion

If swallowed immediately drink: water. Do NOT induce vomiting. In case of unwellness, seek medical advice (show directions for use or safety data sheet if possible). During spontaneous vomiting hold the head of the casualty low with the body in a prone position in order to avoid aspiration.

4.2 The most important acute and delayed appearing symptoms and effects

No known symptoms to date. See part 11.

4.3 References to medical emergency relief or special treatment

Further instructions see section 4.1



Acrylic Matt Colors Page 4 of 11

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Foam, water spray and carbon dioxide. Extinguishing media which must not be used for safety reasons: Full water jet

5.2 Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged

When product exposed to high temperatures it may produce hazardous decomposition products such as carbon monoxide and carbon dioxide, smoke and other hazards components.

5.3 Special protective equipment

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers. Do not allow the quenching water into the sewage system. Dispose fire debris and contaminated fire fighting water in accordance with official regulations.

5.4 Additional information

Product itself does not burn. Compare section 3, 7, 8 and 10.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions

Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Take up with a liquid absorbing material and proceed according to the waste disposal regulations. Do not empty into drains or watercourses. Further instructions see section 6.3.

6.3 Methods for cleaning up/collecting

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent; avoid use of solvents. Further instructions see part 10.

6.4 Additional information

Further instructions see section 7, 8 and 10.

7. HANDLING AND STORAGE

7.1 Information for safe handling

Avoid eye and skin contact. Avoid inhalation of vapour and spray mist. Smoking, eating and drinking should be prohibited in application area. See protective measures under point 8.

Precautions against fire and explosion

No special measures necessary. Product itself does not burn. Further instructions see 7.1.



Acrylic Matt Colors Page 5 of 11

7.2 Conditions for safe storage, including incompatibilities Information about storage conditions

Store between 5 and 30 °C in a dry, well-ventilated place away from sources of heat and direct sunlight. Protect against: frost.

Hints on joint storage

Only substances of the same storage class should be stored together. Keep away from oxidizing agents, from strongly alkaline and strongly acid materials. The substance should not be stored with substances with which hazardous chemical reactions are possible.

Requirement for storage rooms and vessels

Store between 5 and 30 °C in a dry, well-ventilated place away from sources of heat and direct sunlight. Keep container tightly closed. Observe label precautions.

Additional information

Storage class (VCI): 12 Non-combustible liquids

7.3 Specific uses

Acrylic matt colors. For artists and hobby user.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Components with critical values that require monitoring at the workplace (exposure limits)

Ammonia; CAS No. 1336-21-6

Specification: AGW

Value: 20 ml/m³ (ppm), 14 mg/m³

Peak limitation: 2 (I)

Toxic to reproduction: Y - a risk of reproductive effects needs not to be feared if the occupational

exposure limit value (AGW) and the biological limit value (BGW) is kept

Remark: DFG, EU

DNEL/DMEL-Values

No data available.

PNEC-Values

No data available.

8.2 Occupational exposure controls

Technical measures and the application of suitable working methods have precedence before the application of personal protective equipment. Suitable judgement methods of the examination of the effectiveness of the grieved preventive measures enclose measuring-technical and non-technical inquiry methods like they in the technical rules for danger materials (TRGS) 402.

Personal protective equipment

Do not eat or drink during work. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Avoid contact with eyes. Remove soiled or soaked clothing immediately.



Acrylic Matt Colors Page 6 of 11

Respiratory protection

Provide good ventilation when handling large quantities.

Skin protection

Avoid contact with skin. Use rubber gloves conform EN 374.

Eye protection

Avoid contact with eyes. Use safety glasses conform EN 16:2001.

Body protection

No special measures necessary.

Limitation and supervision of the environmental exposition

See section 6 and 7.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 General information

Form: fluid

Colour: refer to label **Odour:** characteristic

9.2 Relevant safety data

Flashpoint: not determined

Viscosity:not determinedISO 2431Density: $(20 \, ^{\circ}\text{C})$ $1,2-1,5 \, \text{g/cm}^3$ DIN 53217

Explosive limits:

Lower / Upper: not applicable **Ignition temperature:** not applicable **Vapour pressure:** not determined

pH-value: 6 - 8 **Solubility in water:** miscible

9.3 Additional information

No other physical-chemical date available.

10. STABILITY AND REACTIVITY

10.1 Reactivity

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. See section 7.

10.2 Chemical stability

If handled properly then product has chemical stability.

10.3 Possible dangerous reactions

None, if handled according to order. Further instructions see section 10.1 and 10.2.



Acrylic Matt Colors Page 7 of 11

10.4 Conditions to avoid

Keep cool. Protect from sunlight.

10.5 Incompatible materials

See section 10.1.

10.6 Hazardous decomposition products

When product exposed to high temperatures, it may produce hazardous decomposition products such as carbon monoxide and carbon dioxide, smoke and other hazardous components.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ammonia, CAS No. 1336-21-6

LD_{50, oral, rat} = 350 mg/kg (Reference: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg.

259, 1941.)

Remark: Substance/product listed in Regulation (EC) 1272/2008.

Primary irritant effect

after inhalation There are no data available on the preparation itself.

on the skin Frequent contact can lead to skin irritation, especially if product is

allowed to dry out.

on the eyes The liquid splashed in the eyes may cause irritation and reversible

damage.

after ingestion There are no data available on the preparation itself.

Sensitization No sensitizing effects know.

Chronic There are no data available on the preparation itself.

11.2 Additional toxicological information

The product is classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

There are no data available.

12.2 Persistence/degradability

There are no data available.

12.3 Bioaccumulative potential

There are no data available.

12.4 Mobility

There are no data available.



Acrylic Matt Colors Page 8 of 11

12.5 Results of PBT and vPvP assessment

There are no data available.

12.6 Other adverse effects

There are no data available.

12.7 Further ecological information

Do not discharge into the drains/surface waters/groundwater.

Water hazard class:

Green: WGK 2 hazardous to water (according VwVwS)
Other Colors: WGK 1 slightly hazardous to water (according VwVwS)

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Send to a hazardous waste incinerator facility under observation of official regulations. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Recommendation

Disposal must be made according to official regulations.

13.2 European waste code number in accordance with AAV

EWC No.: 08 01 12 waste paint and varnish other than those mentioned in 08 01 11

13.3 Packaging

Contaminated packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing, may be taken for reuse. Packaging that cannot be cleaned should be disposed in the same manner as the medium.

Non-contaminated packages

EWC No.: 15 01 01 paper and cardboard packaging

EWC No.: 15 01 02 plastic packaging EWC No.: 15 01 07 glass packaging

14. TRANSPORT INFORMATION

14.1 Land transport ADR/RID and GVS/GGVE

Not classified as hazardous.

Class: Kemler-Code: UN No.: Packaging group: Label: Special marking: Proper shipping name: -



Acrylic Matt Colors Page 9 of 11

Classification-Code: -Limit: -Tunnel restriction code: -

14.2 Maritime transport IMDG/GGVSea

Not classified as hazardous.

Class: UN No.: Label: Packaging group: EmS-No.: Marine pollutant: Proper shipping name: -

14.3 Air transport ICAO-TI and IATA-DGR

Not classified as hazardous.

ICAO/IATA Class: UN no.: Label: Packaging group: Proper shipping name: -

14.4 Remarks

Product contains environmentally hazardous substances: -.

15. REGULATORY INFORMATION

15.1 European Regulation

Chemical Safety Assessment: For this substance a chemical safety assessment is not required.

15.2 National Regulations

Statutory order on hazardous incidents (StörfallV): - Regulation on inflammable liquids: VbF-Class: -

Emission control act ("TA-Luft"): -

Water hazard class:

Green: WGK 2 hazardous to water (according VwVwS)
Other Colors: WGK 1 slightly hazardous to water (according VwVwS)

15.3 Additional information

The product is classified according to the EEC directives and the Ordinance on Hazardous Materials (GefStoffV).

If bottle ≤ 125 ml then the following H- and P-phrases are not necessary: -

Please check local regulations.

Volatile organic compounds (Swiss): 0 %.

The advertised use (section 1) is not subject of the Directive 2004/42/EC.



Acrylic Matt Colors Page 10 of 11

16. OTHER INFORMATION

16.1 Changes compared with the last version

The last version was all changed and revised completely. Alterations to the previous edition are marked in the right-hand margin.

16.2 Literature reference and data source

Regulation (EC) 1999/45, last changed by Regulation (EC) 1907/2006 Regulation (EC) 67/548, last changed by Regulation (EC) 2009/2 REACH Regulation (EC) 1907/2006, last changed by Regulation (EC) 453/2010 Regulation (EC) 1272/2008, last changed by Regulation (EC) 790/2009

Internet

http://www.baua.de http://www.arbeitssicherheit.de http://www.gischem.de

16.3 Full text of H- and R-phrases appearing in section 2 and 3:

According to Regulation (EC) 1272/2008

Skin Corr. 1B H314 - Causes severe skin burns and eye damage. Aquatic Acute 1 H400 - Very toxic to aquatic life.

EUH - statements

_

Methods according to article 9 of the order (EC) No. 1272/2008 for the assessment of the information for the purpose of the classification were used:

Classification according to Regulation (EC) 1272/2008, Annex VII (conversion table).

16.4 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by

Road)

BlmSchV: Order for the realisation of the Federal Immission Protection Law

CAS: Chemical Abstracts Service

DIN: Norm of the German institute of standardization

EC: Effective concentration

EC50: Effective concentration, 50 percent

EG: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

EN: European Standard

GefStoffV: Ordinance on Hazardous Substances, Germany

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Log K_{ow}: n-octanol-water partition coefficient

OECD: Organisation for Economic Co-operation and Development



Acrylic Matt Colors Page 11 of 11

PBT: Persistent, bioaccumulateable, toxically

RID: Règlement international concernant le transport des marchandises dangereuses par

chemin de fer (Regulations Concerning the International Transport of Dangerous

Goods by Rail)

TRGS: Technical rules for danger materials
UN: United Nations (Vereinte Nationen)
VOC: Volatile Organic Compounds

vPvB: very much persistent and very bioaccumulateable

VwVwS: Administrative regulation of hazardous to waters materials

WGK: Water hazardous class

16.5 Department issuing safety data sheet

Laboratory, Mrs. Dipl.-Ing. Treiber, b.treiber@c-kreul.de.

16.6 Additional information

The data is based on our present knowledge. The data correspond to the national and EEC legislation. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

It is not permitted to use the product for any other application mentioned in chapter 1 except with a written permission. The user is responsible for the compliance with all valid legal regulation.

This safety data sheet is only valid for Acrylic Matt Colors. It's not valid for other products placed in the according sales displays or sets.